Safety Data Sheet

Section 1: Product & Company Identification

Product Trade Name: 20% Salicylic Acid Peel

Supplier: Delasco

608 13th Avenue Council Bluffs, IA 51501

1-712-323-3269 www.delasco.com

questions@delasco.com

Emergency Phone: 1 (800) 424-9300

Fax Number: 501-801-1174

Section 2: Composition/Ingredient Information

Ingredient	Percentage	CAS Number
Salicylic Acid, Powder, USP	20%	69-72-7
SDA40B 200 Proof	79%	64-17-5
Polysorbate-80	1%	9005-65-6

Section 3: Hazard Identification

Salicylic Acid is considered hazardous by the 2012 OSHA Hazard communication Standard (29 CFR 1910.1200)





Hazard Classification:

FLAMMABLE LIQUID (Category 3)
Serious eye damage/eye irritation (Category 2A)
Harmful if swallowed (Category 4)
Specific target organ toxicity (single exposure) (Category 3)

Hazard Statements:

May be harmful if swallowed Causes serious eye irritation May cause respiratory irritation Causes mild skin irritation

Precautionary Statements:

Prolonged exposure to fumes may cause headache, dizziness, rapid pulse, slight to moderate hypeprnoea, lethargy, nausea or vomiting, dermatitis, dyspnea, and shortness of breath.





Section 4: First aid Measures

l. Eye:

Immediately flush with plenty of water for 15 minutes. After initial flushing, remove contact lenses and continue flush for at least another 15 minutes. Assure adequate flushing by occasionally lifting the upper AND lower eyelids with fingers. Have eyes examined and tested by medical professional.

II. Skin:

Wash the affected area with soap or mild detergent and large amounts of water until no evidence of chemical remains (at least 15-20 minutes). In case of chemical burns, securely cover area with sterile dressing (not to tight) and seek medical attention immediately. If clothes have been contaminated get professionally washed (or discard) before reuse.

III. Inhalation:

If inhaled, move to fresh air immediately. If breathing has stopped, perform CPR and maintain airway and blood pressure. Qualified personnel should administer oxygen if breathing is difficult. Keep victim warm and seek medical attention immediately.

IV. Ingestion:

If swallowed, do <u>NOT</u> induce vomiting. If victim is conscious and alert administer fluids repeatedly. Ingested acid must be diluted approximately 100 fold to render it harmless to tissues. Get medical attention immediately.

Section 5: Fire-Fighting Measures

Flash Point: 55F (ethanol) Lower Explosive Limit: 3.3 (ethanol) Upper Explosive Limit: 19.0 (ethanol)

I. Fire Extinguishing Media:

Use dry chemical, "Alcohol" Foam, or CO₂. Water may be ineffective, but water should be used to keep fire exposed container cool.

II. Hazardous Combustion And Decomposition Products:

Combustion products are carbon oxides.

III. Fire and Explosion Hazards:

Combustible at high temperatures. Above Ethanol's flash point, vapor-air mixtures are explosive. Vapors can flow along surface to ignition and flash back. Sealed containers may rupture when heated. Sensitive to static discharge.

IV. Fire Fighting Procedures:

Fire fighters and others who may be exposed to the products of combustion should be equipped with NIOSH approved positive pressure self contained breathing apparatus (SCBA) and full protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure.

Section 6: Accidental Release Measures

I. Steps to be Taken In Case Material is Released or Spilled:

Isolate the hazard are and keep unnecessary and unprotected personnel from entering. Eliminate all sources of ignition. Safely stop discharge and contain material, as necessary, with dike or barrier. **Provide adequate ventilation during clean up procedures.**





II. Cleaning Methods:

Dilute spill with water. Absorb spill with inert material (e.g. vermiculite, dry sand, or earth). Use appropriate tools to put the spilled material in suitable chemical waste disposal container. Clean contaminated surface thoroughly.

Section 7: Handling and Storage

I. Handling:

Always wear gloves when handling. Wash hands thoroughly after handling, especially before eating, drinking, smoking, and using restroom facilities. Provide sufficient air exchange and/or exhaust in work rooms. Do not ingest, breathe vapors or spray mist. Professionally launder contaminated clothing before reuse.

II. Storage:

Store at room temperature in <u>the original container</u>. Keep containers tightly closed in a dry, well ventilated area away from heat, ignition sources, and direct sunlight. <u>Salicylic is incompatible with IODINE</u>, store away from iodine.

III. Shelf Life:

Product has a shelf life of two (2) years provided the container has NOT been opened. Opened containers have a shelf life of one (1) year.

Section 8: Exposure Controls/Personal Protection

I. Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eye was facility and safety shower.

II. Ventilation:

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred.

III. Respiratory Protection:

Clinicians should also wear a surgical mask for long/repeated exposure to prevent fumes. In the event of large spill clean up, wear an approved respirator with organic vapor cartridges.

IV. Skin Protection:

Wear appropriate protective gloves to prevent skin exposure. As well as, appropriate clothing.

V. Eye Protection:

Not necessary for normal product handling, but eye protection is highly recommended for clinician. AVOID eye contact. For large spill clean up, wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face regulations in 29CFR 1910.134. Maintain eye wash fountain and quick-drench facilities in work area.

VI. Protective Clothing:

Not necessary for normal product handling. Clinicians repeatedly applying product to patients should wear latex gloves when handling. Clinicians should also wear a surgical mask for long/repeated exposure to prevent fumes from causing headaches, dizziness, rapid pulse, etc. (see section 3: precautionary statement for long exposure effects)





VII. Personal Hygiene:

Immediately wash hands thoroughly after handling. NO eating, drinking, or smoking in area.

Section 9: Physical and Chemical Properties

I. Appearance:

May have a slight pink color or will be a colorless Solution

II. Odor:

Ethanol

III. pH:

1.9-2.4

Section 10: Stability and Reactivity

I. Stability:

Water sensitive. Sensitive to light. Exposure to light accelerates decomposition. Stable under recommended storage conditions. Hazardous polymerization does not occur.

II. Materials to avoid:

Heat. Ignition sources, water, and light. Store away from oxidizing agents, metals, cyanides, sulfides, iron salts, spirit nitrous either, lead acetate, and iodine. Store below 30C (86F).

III. Hazardous Decomposition:

Carbon dioxide and/or Carbon Monoxide

Section 11: Toxicological Information

TOXICITY: SALICYLIC ACID

Oral LD50:

Rat: 891 mg/kg Mouse: 480mg/kg Inhalation LC50: Rat: 900mg/m³

Mouse: NO information

Dermal LD50: Rat: >2000 mg/kg Rabbit: 2000 mg/kg

TOXICITY: (Denatured Ethyl Alcohol)

Oral LD50:

Rat: 7060 mg/kg Inhalation LC50: Rat: 20,000 ppm/1 OH Irritation data (eye): 50mg/24H Severe

Other Information

This document has been prepared in accordance with the SDS requirement of OSHA Hazard communication Standard 29 CFR 1810.1200

MSDS ID#: 010

Preparation Date: 8/13/2018

References:





SDA40B 200 PROOF; Specially Denatured Ethyl Alcohol 200 Proof; SDA Formula 40B, MSDS No. N/A; Ultra Pure: Darien, Connecticut, 6/29/2015.

Safety Data Sheet; Salicylic Acid, Powder, USP; MSDS No. N/A; Spectrum Chemical Mfg. Corp.; Gardena, California. 3/24/15

Safety Data Sheet; Polysorbate 80; MSDS No. N/A; Lotioncrafter LLC; Eastsound, WA. 3/2/18



